

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S28	5176	gam\$2 ADJ software	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 18:12
S29	37	S28 SAME query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/27 18:13
S31	677	717/100.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:53
S32	1	"10/769075".app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:58
S33	6048	hashing ADJ (function OR algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:59
S34	5706	hashing ADJ (function OR algorithm)	US-PGPUB; USPAT	OR	ON	2007/12/03 11:59
S35	49	S34 AND "application identifier"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:59
S36	6048	hashing ADJ (function OR algorithm)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:59

S37	5706	hashing ADJ (function OR algorithm)	US-PGPUB; USPAT	OR	ON	2007/12/03 11:59
S38	3	S37 AND "application identifier" AND "graphical icon"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:59
S39	44	09/476686	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:59
S40	14	(hash\$3 ADJ (function OR algorithm)) SAME "application identifier"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S41	148316	(hash\$3 ADJ (function OR algorithm)) SAME database query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S42	20	(hash\$3 ADJ (function OR algorithm)) SAME "database query"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S43	29165	hash\$3 ADJ (function OR algorithm OR sum\$1 OR value\$1 OR code\$1 OR table\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S44	25088	hash\$3 ADJ (function OR algorithm OR sum\$1 OR value\$1 OR code\$1 OR table\$1)	US-PGPUB; USPAT	OR	ON	2007/12/03 12:00
S45	22	S44 SAME "application identifier"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S46	22	S44 SAME "application identifier"	US-PGPUB; USPAT	OR	ON	2007/12/03 12:00

S47	1	S46 AND "graphical icon"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S48	12	S44 AND pictogram	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S49	2	"5953451".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S50	239	S44 AND ("graphical icon" OR "icon image")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:00
S51	3	S44 SAME("graphical icon" OR "icon image")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:01
S52	3	S44 SAME ("graphical icon" OR "icon image")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:01
S53	34	(US-20070250716-\$ or US-20050021971-\$ or US-20010031066-\$ or US-20020012443-\$ or US-20020174341-\$ or US-20070198834-\$ or US-20060111080-\$ or US-20050257209-\$ or US-20060168355-\$ or US-20060236074-\$ or US-20020147004-\$ or US-20050154707-\$ or US-20060106769-\$ or US-20040255289-\$).did. or (US-6487665-\$ or US- 6505160-\$ or US- 6574736-\$ or US- 5953451-\$).did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:01

S54	18	(US-20070250716-\$ or US-20050021971-\$ or US-20010031066-\$ or US-20020012443-\$ or US-20020174341-\$ or US-20070198834-\$ or US-20060111080-\$ or US-20050257209-\$ or US-20060168355-\$ or US-20060236074-\$ or US-20020147004-\$ or US-20050154707-\$ or US-20060106769-\$ or US-20040255289-\$).did. or (US-6487665-\$ or US-6505160-\$ or US-6574736-\$ or US-5953451-\$).did.	US-PGPUB; USPAT	OR	ON	2007/12/03 12:01
S55	4	S54 and metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:01
S56	277	(query NEAR database) WITH metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:01
S57	2809	hash\$3 SAME binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 18:15
S58	1763	hash\$3 WITH binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 18:16
S59	82	hash\$3 WITH icon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 18:44
S60	34	hash\$3 WITH (any ADJ (binary OR digital))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 19:29

S62	130	"icon data" AND binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 19:42
S63	19	"icon data" WITH binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 19:43
S64	249	"icon" WITH binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 19:46
S66	3	(US-20010031066-\$ or US-20020137217-\$).did. or (US-5953451-\$).did.	US-PGPUB; USPAT	OR	ON	2007/12/09 11:47
S67	766	gaming ADJ3 interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 13:37
S68	33	gaming ADJ3 interface WITH ("operating system" or OS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/09 13:38
S69	93	hash\$3 WITH icon\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 14:21
S70	34	(hash\$3 WITH icon\$1) SAME display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 14:22
S71	59	S69 NOT S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 14:43

S72	6	09/672754	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 14:50
S73	152	hash\$3 SAME icon\$1 SAME display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 15:00
S74	118	S73 NOT S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/08/20 15:00
S75	64	("20070183632" "20060236074" "20060026441" "20060020821" "2005103973" "20050171961" "20050123175" "7116806" "20070165914" "7356171" "6851051" "20050005098" "6785691" "2004177998" "2003067090" "20040175022" "6501857" "6499110" "20020147918" "6470342" "20020193142" "2002065258" "20040003266" "20050257214" "20040025022" "6463535" "2000018162" "6035403" "20050171961").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 11:49
S76	25	S75 AND hash\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 11:50

S77	13	S75 AND hash\$4 AND (icon\$1 OR image\$1 OR glyph\$2 OR picture\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 11:52
S78	2	"6487662".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:07
S79	2	EP ADJ "1420323"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:14
S80	0	EP ADJ "2000302892"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:17
S81	2	EP ADJ "1043698"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 12:18
S82	4	("7398283" "20070022444").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:05
S83	4	("7398283" "20040022444").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:06
S84	1431	icon ADJ data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:20

S85	21	(icon ADJ data) WITH binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/02 13:20
S86	8	("5862260" "5915027" "5945932" "5940135"). pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/03 11:43
S87	14	08/497662	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:03
S88	1	08/497662.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/17 20:03
S89	26	(icon ADJ data) SAME binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 14:54
S90	21	(icon ADJ data) WITH binary	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 14:55
S91	5	S89 NOT S90	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 14:55
S92	4888	hash\$3 WITH name\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 15:16



S93	662	hash\$3 WITH ("file name")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 15:16
S94	41	hash\$3 ADJ ("file name")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/22 15:16
S95	7	"6111950"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/30 18:45
S96	0	extract\$3 WITH icon WITH (binary ADJ file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 17:05
S97	1240	extract\$3 WITH icon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 17:06
S98	85	extract\$3 NEAR3 icon NEAR3 data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/11 17:06
S99	54	(US-20020137217-\$ or US-20030177347-\$ or US-20040255289-\$ or US-20050030280-\$ or US-20020032489-\$ or US-20050251682-\$ or US-20050273729-\$ or US-20010031066-\$ or US-20030023584-\$ or US-20020116509-\$ or US-20020029341-\$ or US-20030177137-\$ or US-20020085001-\$ or US-20050005098-\$ or US-20020147918-\$ or US-20040022444-\$ or US-20050267935-\$ or US-20050097503-\$ or	US-PGPUB; USPAT; DERWENT	OR	OFF	2010/07/28 22:08

/GAP/

		US-20040003266-\$ or US-20040025022-\$ or US-20050172010-\$ or US-20020038348-\$ or US-20050102528-\$ or US-20020066026-\$ or US-20030187866-\$ or US-20030217038-\$).did. or (US-5664099-\$ or US- 6092076-\$ or US- 7046848-\$ or US- 6347373-\$ or US- 6810398-\$ or US- 5953451-\$ or US- 7246235-\$ or US- 6330858-\$ or US- 6181838-\$ or US- 7063615-\$ or US- 6499110-\$ or US- 6463535-\$ or US- 7398283-\$ or US- 5915027-\$ or US- 5862260-\$ or US- 5643086-\$ or US- 6639614-\$ or US- 5617568-\$ or US- 7412449-\$ or US- 6625591-\$ or US- 7155487-\$ or US- 6111950-\$ or US- 5680558-\$ or US- 5945982-\$ or US- 5065347-\$ or US- 6167405-\$).did. or (EP- 113032-\$ or EP-913952- \$).did.				
S100	4	S99 AND ((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 22:11
S101	40435	((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 22:44
S102	1203	((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) AND hash\$4 AND meta\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 22:58

	S103	463	((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) AND (hash\$4 WITH identif\$8) AND meta\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 23:00
	S104	304	((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) AND (hash\$4 WITH identif\$8) AND meta\$5 AND (icon\$1 OR image\$1 OR glyph\$2 OR picture\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 23:01
/GAP/	S105	30	((global\$2 ADJ unique ADJ identif\$7) OR GUID OR WMID) AND (hash\$4 WITH identif\$8) AND meta\$5 AND (hash\$4 WITH (icon\$1 OR image\$1 OR glyph\$2 OR picture\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/07/28 23:02

**EAST Search History (I nterference)**

&lt; This search history is empty &gt;

**7/ 30/ 2010 12:06:14 AM****C:\ Documents and Settings\ gpollock\ My Documents\ EAST\ Workspaces\ Completed\ 10769075.  
wsp**